→ PATENT OFFICE

Ø 016/020

Docket No. ISPH-0588

PATENT

Exhibit "A"

Filename: Adulted 11	Appearable burgates of commercial programs and the commercial programs and the commercial programs are 1-4, 25, 25.	Flavone	rc-1-4_25_55									
Date: Tue, Apr 26, 2035	5, 2015		Tue, Apr 25, 2005	22								
Commert: Plate Type: 7700 Single Fstandan PCR Velume: 25 Esposure tim 25	le Fitandard Pane 25 25	Kale Type RCR Voluma: Ecosare tim	Dormeru: Rale Type 3700 Single I Standard Piete Rik Villuma: 25 Ecosare tim 25	andard Plate								
Thermel Oycler Condition Cyde Temperature Hode Gode	mal Oyclar Canditions lea Temporchau Time Repeat d 48 25.00:00 d 55 01:00 lea 55 01:00	Thermal Cycler Conditions Cycle Temporatum Hold 48 Hold 95 4C Cycle 95	er Constions Temperature Ilme 98 50 95 60	66.00 61.00 61.00 61.00	Repeat Ramp Auto Auto 40 Auto Auto	Ē	A.to insement					
Standard Curve	37 0.594	Standard June E.C? 3.74]	77.75	-	0.1 (3	0.1 (3, :2)						
Sample Information	to to	Sempla Information										
A: LUNKN A2	15 15 15 15 15 15 15 15 15 15 15 15 15 15	62.22 Al 99.59 A2	88 88	16.32		73,9576097						
A3		9883 A3	2 2 2	8	2000395	91.522296	89.491266	BQ 491266 14.6139821 200hM		89.491266	89.491266 14.6139821 3COVH	92001
		4. 45 AZ 75 42 A5	8 #	2 C. C.	0.500423/3	56 365468L						
		\$6.63.A6	% ¥ ≈ ₹	4 t		# P P P P P P P P P P P P P P P P P P P	96,1122967	0.3580357 150nM	248 439907 96.1122587	6.1122587	0.3580057 150~M	
		K 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 18 5 18 5 18	20.0	0 86818898 0	106 369937				,	01 -02 PEOCES	
AS CENTRAL		74.9 k9 15.48 M3	8 A	83 ±	0.9433851	112.580371	89.491266	:4.61.39821 SON4		85.491.780	(4.6) 3/8/7 SUN	
		20 64 43 1	8			115029118			•		A CONTRACTOR OF THE PERSON OF	, c
		521.52	8 R	17.04 0	0 38436432	C26189 211	115.239144	2.45490344 303nM	•	115.2931 44	2.4043U.544 3UUMI	77111
		11.96 62	36.55 26.55			722.:72057						
		19.64.83	[3.89 8.17	18. E		12.425884	154.760433	6.56349702 150rM		14.760933	114.760433 6.56249702 15074	
		20,74 85	3 E	0 82.01	0.89593207	IQ7 257254						
		98588	28.30	22.		127.847159 85.74015.88	89.491266	89.491266 14 6139821 50nM		88.491.200	89.494.200 14.01.39221 SOPA	
		35.01 B8	18 SS	131.39	64602173	77.36724			•			
		55.48 89 F. 34 B.IO	19.14	201.19	0.79268353	94.9721.595 84.1891731	0E.0365915	8 76555642 300mM	•	96.005591S	R.78565642 JUUFM	11894
		22.36 84.1	25.01	135.68 0	0.90182783	108.00033	63,63,63	TOWN OF CHANGE	•	90 ASSISS	MACCAL DESCRIPTION	
		22 24 22 24 24 22 24 24 22	2 K	888		55.1464635	03/40/3/C3/	MINC! 67070NC'01	•	3.4	in over exponential	
		21.43.02	88	15.65		29,9645992	80 401 364	14 61 *0831 \$044		89 49t 766	M-05 (285(197)	
		28.5	30.00	2,75	1.2590872	150.40923						
		D 29 20 20 20 20 20 20 20 20 20 20 20 20 20	19.9	888	1830S1654	59.4630591	124 07557	MATTER SUBSECT SC		1.24 CD-5R22	25.4726RDS BODEM	79450
		15 65 CT	8 8	14.16	0.13532637	16.2079485	(4.37.4CL)	No COUR COURSE (P. 177				}
		8 8 8	8.5	22.52	1.7366259	136.965579				200	Managar Challenger and	
		26.19 t3	8 6	9.5	207	72.73449	PE 16/76 26	MLOCI CNT:071 00		#C16/16 24	MANUAL CONTRACTOR	
		59.9 C:1	20.85	89.95	0.84203002	100,841919						
	25.43	25.55.52 25.52 25.52	\$ \$		1.027.824	128.416555	83.431256	14 6139821 SONM		98.431.860	14.01396Z1 3GPM	
		52.85 52.85 52.85 53.85 54.85 55 54.85 54.85 54.85 54.85 54.85 54.85 54.85 54.85 54.85 54.85 54.	2 2		1.43689645	179.508557						
		134.84 E3	25 28		1.165522857 CARTITADE	39.58426	158 N 3419	158.313419 20 0760595 300nM		158.313419	ZO.0760595 DCO-M	38450
		91.33 05	8 7.1			220 277281						
		98.72 06	2012		0.9247752	110.751799	160.166316	160.166516 35.5406327 150nM		160.166516	160.166516 55.5406327 50nM	
		7.R	70.Do			Ill Marios						

	_			_									_			•			
	1 3B4603			184624			384605			364606			140148			140158			
89.497.266 14.6139821 SONM	52 8296548 0 67019122 3000M	48 7118567 6 94225286 .500M	89.491266 14.6139821 SON	45 2863149 6.73644842 300nM	SB35.5232 127.054525 4 61798114 150nM	69.491266 14.6139021 SOM	111.404894 4.42643265.300mM	59 1314048 17.1071265) SQNM	89.481266 14.6139821 SCFM	96.253483 13.81955¢ 3004M	120,792231 29,1456088 150nM	89.0721244 5.60639754 SONM	36.730055 4.4897956 300r4	39, 461,928 3 83950028 150rm	48_5090682 S 69486J309 SOn#A	16.8650776 6.26887579 3001M	25.9202616 6,15132866 150rM	29.4497376 4.98903833 SOM	100 00000 01 000000 101
89.451266 :4.5139821 SONM	52 E256548 G 67019122 3007M	48 7:16567 6 94225296 150nm	89,451266 14 & 39821 SONM	45.28E2149 6.7364842 300nM	127.054525 4.617981;4 150nM	89.491266 14 6139821 SON	111.4C4894 < 4264)265 200-M	99.1314048 17.1071265 150AM	89.491266 14 6139821 SON	100.052089 19 0749625 Contral									
107.73 :: 11157523 133.122783 79.87 1:G8225867 129.611817 68	0.44508466 53.3035516 4.4373,7038 52.3557581 3.3559457 40.8029426	16 /4/4045 9 44773344 51.6207709 0 41070621 49.1563727	0.67895318 81.2597026 0.52202022 62.518589 0.74627027 89.313685.	0.7817759 93.8653769 1.00363914 123.789119	48.7256187 0.94422133 113.080399	0.89894936 107.658606 0.94789139 113.519927 0.89152863 106.721992	0 96459264 115 520177 0 03497132 111 972613 0 80932884 96.9257296	0.97830736 117.23439 0.79721345 95.474665.	0.765589 91.6873054 0.765589 91.6873054	0.62210904 74.5040769 0.7797921 93.1711623 0.6612 79.1856287		0.85867161 LI D 96041633 E D 97785816 L	11 17 1 02612603 122.91689 83 76 1 11103192 123 057667 100	25 0.83576895	1 00				
	5858 8848 845										52 65 52 65 52 65 53 65 53 53 54 54 54 54 55 55 56 56 56 56 56 56 56 56 56 56 56			22.2 23.23					
119.75 D8 86.44 D9	22.22.23.23.23.23.23.23.23.23.23.23.23.2	57.28 57.28 5.27 55	75.75 59.75 59.03 59.55	73.72 E9 84.5 E10	65.73 E12 65.48 F1	82.04 83.3 83.3 84.3 84.3	26.22 26.23 25.25 25.75	2 2 2 2 2 3 3 3 3 3 3 3 3	8.88 8.88 5.72 2.72 2.72 2.73 2.73 2.73 2.73 2.73 2	74 145 185 186 186 186 186 186 186 186 186 186 186	828 888 880	67.27 GB 11.7.19 GB 89.21 Gt0	124.1 GE 20.05 GE 100 H;	29 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 2 3				
92.2 6.25	48.83 5.88.83	8.88 8.88 8.88	8 8.25 8.19 8.19 8.19	3 8 8 8 8 8 8 8	7.53 7.53 7.53 7.53 7.53 7.53 7.53 7.53	ងក្នុង មុខព	25.55 20.55	22.88 2.28.55 2.28.55 2.28.55 3.55 3.55 3.55 3.55 3.55 3.55 3.55	25.33 25.33 25.33	25.8 24.73 27.04	855 855 855 855 855 855 855 855 855 855	ង ឯង ឯ	23.25 24.25 10.25	8 2 8 1 8 2 8 1	2. 4. E.				
333 333	5555	Z Z Z Z Z Z	2 2 2 2 3 3 5	555	5 5 5 S	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	333	3 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	3 3 3 3	8 8 8 8 8 8	S S S	3 2 2 3 3 3	N R ST	2 E E E	S S S S				
888	1000	385	ឧឧ	888	18E	C C Z I	E 55 E 5	e & 2 :	: E &	ខ១១	ខឧខន	888	2 5 5 E	Z	£ ¥£				